International Journal of Web of Multidisciplinary Studies
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
website: http://ijwos.com
Vol.02 No.11.
OPEN ACCESS
E-ISSN : 3049-2424
DOI:

AI-Driven Agricultural Forecasting Models for Semi-Arid Regions of Gujarat

KAPADIYA PRACHI AMISHKUMAR[1], Dr. Anil R. Shah[2]
[1,2] *Sabarmati University, Ahmedabad, India*

Article Info

Article History:

Published:20 Nov 2025

Publication Issue:
Volume 2, Issue 11
November-2025

Page Number:
359-364

Corresponding Author:
KAPADIYA PRACHI AMISHKUMAR

Abstract:

The semi-arid regions of Gujarat face significant challenges in agricultural productivity due to erratic rainfall, soil degradation, and climatic variability. This study explores the development and deployment of AI-driven agricultural forecasting models tailored for these regions. Using machine learning (ML) and deep learning techniques, the research aims to enhance crop yield predictions, optimize resource allocation, and support decision-making for farmers and policymakers. The research utilizes real-time meteorological, soil, and remote sensing data from the districts of Kutch, Banaskantha, and Surendranagar, demonstrating the efficacy of AI tools in promoting resilient and sustainable agriculture in water-scarce regions.

Keywords: Agricultural Forecasting, Artificial Intelligence, Machine Learning, Semi-Arid Regions, Gujarat, Crop Yield Prediction, Smart Farming, Climate Resilience

1. Introduction

Agriculture in semi-arid regions, such as large parts of Gujarat, is significantly influenced by erratic weather conditions, water scarcity, poor soil quality, and limited access to real-time information. These factors contribute to unpredictable crop yields and inefficiencies in farm-level decision-making. Traditional forecasting methods based on statistical averages or human intuition are often inadequate in addressing these dynamic and localized challenges.

With advancements in Artificial Intelligence (AI), particularly in Machine Learning (ML) and Deep Learning (DL), there is growing potential to transform agricultural forecasting. These technologies can analyze large datasets—including historical climate data, satellite images, and soil health records—to generate real-time, localized, and accurate predictions. In the context of Gujarat's semi-arid districts such as Kutch, Banaskantha, and Surendranagar, the integration of AI offers the promise of timely advisories, optimal resource management, and improved crop planning strategies.

This research aims to explore how AI can be systematically applied to address agricultural forecasting needs specific to these regions. It evaluates existing technologies, builds and tests new forecasting models, and develops a framework for integration with local farming ecosystems.

Copyright © 2025 The Author(s) : This is an open access article under the CC BY license (http://creativecommons.org/licenses/by-nc/4.0/)

2. Objectives

1. To assess the climatic and agricultural challenges of semi-arid regions in Gujarat.
2. To develop AI-based forecasting models using region-specific datasets.
3. To validate model accuracy in predicting rainfall, soil moisture, and crop yield.
4. To recommend strategies for integrating AI tools into agricultural decision-making processes.

3. Literature Review

Recent studies have shown promising applications of AI in agriculture. Sharma et al. (2021) demonstrated the effectiveness of neural networks in predicting wheat yields under variable rainfall conditions. In Gujarat, institutions like Anand Agricultural University and ICRISAT have piloted AI tools for drought-prone areas.

AI models, particularly recurrent neural networks (RNNs) and random forest regressors, have proven effective in time-series prediction. Studies by IBM Research (2020) and Microsoft AI for Earth have emphasized the potential of integrating satellite imagery with ground data for real-time forecasting.

However, most models are generic and do not cater to localized conditions such as saline soil, monsoon onset variability, and crop diversification patterns specific to semi-arid Gujarat.

4. Methodology

4.1 Study Area

The study focuses on three districts in Gujarat:

- **Kutch**: Known for saline soils and extreme temperatures
- **Banaskantha**: Faces recurrent droughts but has strong horticulture potential
- **Surendranagar**: Has diversified crops but irregular rainfall patterns

4.2 Data Sources

- Indian Meteorological Department (IMD) rainfall and temperature data
- Soil Health Card scheme datasets
- MODIS and Landsat satellite imagery
- Krishi Vigyan Kendra (KVK) district-wise crop yield data
- Farmer feedback and field survey inputs

4.3 AI Models Applied

- **Random Forest Regressor**: For crop yield prediction
- **Long Short-Term Memory (LSTM) Networks**: For seasonal rainfall and soil moisture prediction
- **Support Vector Machines (SVM)**: For classifying soil types and crop suitability

4.4 Model Training and Evaluation

- Data pre-processing and normalization
- 70:30 training-test data split
- Performance measured using RMSE (Root Mean Square Error), R^2 Score, and MAE (Mean Absolute Error)

5. Results and Analysis:

5.1 Crop Yield Forecasting

- Random Forest Regressor model achieved an **R^2 of 0.87** for predicting groundnut yield in Banaskantha
- Integration of satellite-derived NDVI (Normalized Difference Vegetation Index) improved accuracy

5.2 Rainfall and Soil Moisture Prediction

- LSTM model predicted monsoon onset within a ±5-day accuracy range
- Soil moisture levels predicted with a **mean error margin of ±7%**, useful for irrigation planning

5.3 Crop Suitability Mapping

- SVM classification showed 91% accuracy in mapping suitable zones for castor and cumin based on pH, rainfall, and temperature ranges

These findings suggest that AI models, when trained on localized data, outperform conventional agro-climatic models and offer actionable insights for farmers and extension workers.

6. Challenges Identified:

- **Data Gaps**: Inconsistent ground-truthing data across villages
- **Infrastructure**: Limited internet and sensor access in remote areas
- **Adoption Barriers**: Low digital literacy among farmers
- **Policy Disconnect**: Lack of alignment between AI innovation and on-ground agricultural policies

7. Proposed AI-Agriculture Integration Framework (AAIF-Gujarat):

To overcome the above challenges, this paper proposes an **AI-Agriculture Integration Framework**:

1. **Data Hub Layer**: Aggregates real-time meteorological, soil, and satellite data
2. **Prediction Engine**: Runs AI models for rainfall, yield, and pest risk forecasting
3. **Farmer Interface**: Multilingual mobile app and IVRS (Interactive Voice Response System)
4. **Advisory Loop**: Sends weekly crop advisories and alerts
5. **Feedback & Retraining Layer**: Updates model parameters based on farmer-reported data

8. Discussion:

The discussion reveals the real-world applicability and challenges of deploying AI-based forecasting models in the field. One key insight is that **model accuracy is highly dependent on the quality and granularity of input data**. For instance, models trained on national-level datasets underperformed when applied to Gujarat's microclimates. In contrast, models trained with district-specific data showed significantly improved predictions, especially for crops like groundnut and cumin that are widely cultivated in semi-arid zones.

Another critical finding is the **importance of interdisciplinary collaboration**. AI tools developed in isolation from agricultural scientists, extension workers, and farmers risk being misaligned with ground realities. Effective deployment requires user-friendly interfaces, local language support, and interpretability of AI outputs.

Furthermore, the study emphasizes that AI should **complement rather than replace** traditional knowledge systems. Local farmers often possess deep experiential understanding of weather signs, soil behavior, and crop performance. AI systems that can assimilate such insights or learn from farmer

feedback (through mechanisms like iterative retraining or participatory sensing) are more likely to be adopted and trusted.

Finally, the research underscores the **socioeconomic dimension**—digital tools must be affordable, accessible, and integrated with rural infrastructure. Without reliable mobile connectivity, sensor networks, and institutional support, even the most advanced models may remain underutilized.

9. Conclusion

The research concludes that **AI-driven forecasting models have the potential to revolutionize agricultural practices in semi-arid regions**, offering precision, adaptability, and cost-efficiency. The proposed AI-Agriculture Integration Framework (AAIF-Gujarat) presents a roadmap for linking AI technology with end-users in a meaningful and sustainable way.

However, successful implementation depends on **multi-stakeholder coordination**, including agricultural universities, government agencies, AI startups, and grassroots organizations. The study recommends scaling up pilot implementations, investing in data collection infrastructure, and creating training modules for farmers and extension officers.

Future research should aim to:

- Incorporate **drone-based aerial monitoring** for finer-resolution analysis.
- Develop **explainable AI (XAI)** models to increase transparency and farmer confidence.
- Integrate **pest and disease forecasting** to offer a holistic crop advisory system.

References

1. Sharma, P., et al. (2021). *AI in Agriculture: Yield Prediction using Machine Learning Models*. Indian Journal of Agricultural Research.
2. IMD Gujarat (2023). *Rainfall Statistics and Drought Alerts*.
3. MODIS Data Repository.
4. ICRISAT (2022). *Smart Agriculture Solutions for Semi-Arid Tropics*.
5. Government of Gujarat – Agriculture Department Reports (2022–2024).
6. IBM AI for Agriculture.
7. Microsoft AI for Earth Case Studies (2021).

8. Patel, V., et al. (2020). *AI Applications in Resource-Scarce Agriculture*. Gujarat Technological University Journal.