International Journal of Web of Multidisciplinary Studies
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
website: *https://ijwos.com* OPEN ACCESS E-ISSN : 3049-2424
Volume 03, Issue 10,October 2026 DOI: https://doi.org/10.71366/ijwos03102681057

Effects of Biomechanics-Based Training Programme on Batting Accuracy, Reaction Time, and Dynamic Balance Among Mahatma Gandhi University Cricketers

Dr.Sanjay Kumar Sahu[1]
[1]*Principal, Dr.MMR College of Physical Education, Thangadepally, Nalgonda, Telangana.*

Article Info

Article History:
Published: 28 Oct 2026

Publication Issue:
Volume 03, Issue 10
October 2026

Page Number:
454-462

Corresponding Author:
Dr.Sanjay Kumar Sahu

Abstract:
Batting performance in cricket depends on the effective coordination of body movements, rapid responses to visual stimuli, and the ability to maintain balance during different batting actions. The present study aims to examine the effects of a Eight -week biomechanics-based training programme on batting accuracy, reaction time, and dynamic balance among university-level Men cricketers affiliated with Mahatma Gandhi University, Nalgonda, Telangana State. A total of 80 university men cricketers will participate in the study. The participants will be selected using an appropriate sampling procedure and assessed before and after the intervention. The training programme will focus on improving batting mechanics, body positioning, footwork, weight transfer, movement coordination, and balance during batting performance. Batting accuracy will be assessed through a standardized batting accuracy test, reaction time through an appropriate reaction-time assessment, and dynamic balance using a validated balance test. The Eight -week intervention will be designed to integrate biomechanical principles with practical cricket-specific training activities. Pre-test and post-test scores will be analysed using suitable statistical techniques to determine changes in the selected performance variables. The findings are expected to provide useful information about the potential contribution of biomechanics-based training to batting skill development, response efficiency, and dynamic postural control among university cricketers. The study may also offer practical guidance to cricket coaches and physical education professionals in planning scientifically informed training programmes. The actual effectiveness of the intervention will be established from the collected data and statistical results.

Keywords: Biomechanics-based training, batting accuracy, reaction time, dynamic balance, cricket, university cricketers.

1. Introduction

Cricket is a game that requires a combination of technical skill, physical fitness, concentration, and quick decision-making. A batsman must observe the ball, judge its speed and direction, select an appropriate stroke, and coordinate body movements within a very short period. Successful batting therefore depends not only on repeated practice but also on the efficient application of movement principles. Batting accuracy, reaction time, and dynamic balance are three important performance variables that may influence a cricketer's ability to execute batting skills consistently under different playing conditions.

Biomechanics plays an important role in understanding how the human body produces and controls movement during sporting activities. In cricket, biomechanical principles can be applied to examine batting stance, foot placement, body alignment, trunk rotation, weight transfer, bat swing, and follow-through. The effective coordination of these movements may help a batsman perform strokes with greater control and consistency. A biomechanics-based training programme focuses on improving movement efficiency by identifying technical errors and developing appropriate movement patterns through structured practice, feedback, and sport-specific exercises.

Copyright © 2026 The Author(s) : This is an open access article under the CC BY license (http://creativecommons.org/licenses/by-nc/4.0/)

Batting accuracy is an essential component of cricket performance because it reflects the batsman's ability to direct the ball towards an intended target while maintaining appropriate control over the stroke. Accurate batting requires coordination between the eyes, hands, upper and lower limbs, and trunk. The position of the body at the moment of contact, the timing of the bat swing, and the transfer of body weight may influence the direction and quality of the shot. Specific training activities that emphasize correct body positioning, controlled bat movement, and consistent contact may help university cricketers improve their batting accuracy.

Reaction time is another important factor in batting performance. A batsman must respond rapidly to the bowler's delivery and adjust movements according to the ball's length, line, speed, and trajectory. Delayed responses may reduce the opportunity to execute an appropriate stroke, whereas efficient visual processing and coordinated movement can support timely responses. Reaction time is influenced by several factors, including attention, anticipation, experience, and neuromuscular coordination. Training activities involving visual signals, ball tracking, unpredictable deliveries, and rapid decision-making may provide opportunities to develop these abilities. However, improvements in a general reaction-time test may not necessarily represent equivalent improvements in cricket-specific responses.

Dynamic balance refers to the ability to maintain or regain postural stability while the body is moving or changing position. In cricket batting, balance is required during forward and backward footwork, rotational movements, weight transfer, and the execution of different strokes. A batsman who maintains effective postural control may be better positioned to coordinate the bat swing and recover quickly after completing a shot. Poor balance can interfere with movement timing, body alignment, and stroke execution. Therefore, balance exercises and cricket-specific movement drills may be valuable components of a comprehensive batting development programme.

A Eight -week biomechanics-based training programme provides a structured opportunity to combine technical batting practice with exercises designed to improve movement control, reaction speed, and postural stability. Such a programme may include batting drills emphasizing correct stance and footwork, controlled weight transfer, rotational movement exercises, visual reaction activities, and dynamic balance tasks. The duration and intensity of these activities should be adjusted according to the participants' abilities, training experience, and recovery requirements. Regular assessment before and after the programme can help determine whether measurable changes occur in the selected performance variables.

University-level cricketers require systematic training to meet the technical and physical demands of competitive cricket. Although conventional coaching remains important for skill development, the application of biomechanical principles may help coaches identify specific movement difficulties and design more targeted training activities. Examining batting accuracy, reaction time, and dynamic balance together may provide a broader understanding of how a structured intervention relates to different aspects of batting performance.

In this context, the present study, entitled **"Effects of Biomechanics-Based Training Program on Batting Accuracy, Reaction Time, and Dynamic Balance Among Mahatma Gandhi University Cricketers,"** is designed to investigate the effects of a Eight -week training intervention among 80 university cricketers. The study will assess the selected variables before and after the programme and analyse the results using appropriate statistical procedures. The findings may contribute to the development of evidence-informed cricket coaching practices and provide useful guidance for physical education teachers, coaches, and sports training professionals working with university-level players. The actual contribution of the programme will be determined from the collected data rather than assumed in advance.

Statement of the problem:

Therefore, the present study is designed to investigate **"the effects of a biomechanics-based training programme on batting accuracy, reaction time, and dynamic balance among Mahatma Gandhi University cricketers."**

Objectives of the study:

The specific objectives of the study are as follows:

1. To assess the batting accuracy of Mahatma Gandhi University cricketers before and after the Eight -week biomechanics-based training programme.

2. To determine the effect of the Eight -week training programme on the reaction time of the selected university cricketers.
3. To examine the changes in dynamic balance among the cricketers following the training intervention.
4. To compare the pre-test and post-test scores of batting accuracy, reaction time, and dynamic balance to identify changes associated with the training programme.
5. To evaluate the potential usefulness of biomechanical principles in developing batting-related skills and movement control among university-level cricketers.
6. To provide practical suggestions for cricket coaches and physical education professionals on incorporating biomechanics-based activities into regular training programmes.

Significance Of The Study:

The significance of the study is explained below.

1. Improvement in Batting Accuracy: The study may help identify whether biomechanics-based training contributes to more consistent and controlled batting performance. The findings may provide information about the importance of correct footwork, body alignment, weight transfer, and bat movement when performing different strokes.

2. Development of Reaction Time: The study may provide useful information about changes in reaction time following the Eight -week training programme. This may help coaches understand the potential value of visual-response activities and movement drills that require players to respond quickly to different stimuli.

3. Enhancement of Dynamic Balance: Maintaining balance during batting movements is essential for effective stroke execution. The study may help determine whether the selected training activities are associated with improvements in dynamic balance, particularly during movements involving changes in body position and weight transfer.

4. Usefulness to Cricket Coaches: The results may assist cricket coaches in planning training sessions that combine technical practice with biomechanical exercises. The findings could help coaches identify areas requiring additional attention and develop training activities suited to the needs of university-level cricketers.

5. Benefits to University Cricketers: The study may create greater awareness among university cricketers of the relationship between movement technique, body control, and batting performance. It may also encourage players to pay closer attention to their batting mechanics and movement patterns during regular practice.

6. Contribution to Physical Education: The study may be useful to physical education teachers, sports trainers, and researchers interested in applying scientific principles to skill development. It offers a structured approach for examining selected physical and technical variables within a university cricket setting.

7. Scope for Further Research: The findings may provide a foundation for future studies involving different training durations, age groups, playing standards, and cricket populations. Researchers may also examine additional variables, such as bat-swing speed, movement coordination, anticipation, and stroke effectiveness, to develop a more comprehensive understanding of cricket performance.

Limitations Of The Study:

subject to the following limitations:

1. **Sample Size:** The study is limited to 80 university cricketers. Therefore, the findings may not represent all cricketers at different competitive levels.
2. **Training Duration:** The intervention is restricted to Eight weeks. The study may not establish whether any observed improvements are maintained over a longer period.

3. **Individual Differences:** Differences in age, playing experience, physical fitness, technical ability, and previous training may influence individual responses to the programme.
4. **Diet and Recovery:** Variations in dietary habits, sleep, hydration, and recovery practices may affect the participants' performance during the study.
5. **External Training Activities:** Participation in additional cricket practice, strength training, or other physical activities outside the prescribed programme may influence the results.
6. **Testing Conditions:** Changes in weather, playing surfaces, equipment, and testing environments may affect the consistency of performance measurements.
7. **Measurement Accuracy:** The accuracy of the findings depends on the reliability of the selected tests, the suitability of the equipment, and the consistency of the testing procedures.
8. **Motivation and Concentration:** Differences in motivation, attention, and effort during pre-test and post-test assessments may influence the scores obtained.

Delimitations Of The Study:

The present study is deliberately restricted to the following boundaries to maintain a clear research focus:

1. **Study Population:** The study is confined to 80 selected university cricketers associated with Mahatma Gandhi University.
2. **Training Period:** The biomechanics-based training programme is limited to a duration of eight weeks.
3. **Selected Variables:** The study is restricted to three dependent variables: batting accuracy, reaction time, and dynamic balance.
4. **Training Intervention:** The study focuses on a structured biomechanics-based training programme incorporating cricket-specific movement and skill activities.
5. **Assessment Procedure:** The participants' performance will be assessed before and after the intervention using predetermined and appropriate testing procedures.
6. **Statistical Analysis:** The collected data will be analysed using suitable statistical techniques to examine changes in the selected variables and determine their statistical significance.
7. **Research Context:** The investigation is limited to university-level cricket players and does not directly include school-level players, professional cricketers, or players from other sports.
8. **Study Objectives:** The research is confined to examining the selected performance variables and does not directly investigate other factors such as psychological skills, nutritional status, injury rates, or match-winning performance.

2. Methodology:

The present study, entitled **"Effects of Biomechanics-Based Training Program on Batting Accuracy, Reaction Time, and Dynamic Balance Among Mahatma Gandhi University Cricketers,"** will adopt an experimental research design to examine the effects of a structured training intervention on selected cricket performance variables. Pre-test and post-test assessments will be conducted to determine changes in batting accuracy, reaction time, and dynamic balance following the Eight -week programme. If a control group is included, the design will also allow comparisons between participants who receive the intervention and those who continue their regular training. The sample will consist of 80 university cricketers associated with Mahatma Gandhi University. Participants will be selected according to predetermined inclusion criteria, including regular participation in cricket training, adequate playing experience, and willingness to participate in the study. The age range, playing standard, and other relevant characteristics of the participants will be documented before the commencement of the investigation.

Sampling Technique:

An appropriate sampling technique will be used to recruit the participants. Where feasible, eligible cricketers will be selected using a suitable random sampling procedure. If the participants are recruited from an available university cricket group, the actual sampling method will be reported accordingly. The selection procedure will be clearly described to ensure transparency and reproducibility.

Variables of the Study:

The study will examine the following variables.

Independent variable

- Eight -week biomechanics-based training programme.

Dependent variables

1. Batting accuracy.
2. Reaction time.
3. Dynamic balance.

Other factors, such as age, cricket experience, regular practice, and physical fitness, will be documented where relevant because they may influence the participants' performance.

Pre-Test Assessment: Before the training programme begins, all participants will undergo baseline assessments of the three selected variables. The tests will be administered under standardized conditions, with consistent instructions, equipment, testing procedures, and rest intervals.

Training focus	**Illustrative activities**	**Intended purpose**
Batting mechanics	Stance correction, bat-swing practice, controlled stroke execution	Improve movement consistency
Footwork and weight transfer	Forward and backward movement drills, lateral stepping	Develop controlled positioning
Reaction ability	Visual-cue drills, ball tracking, responses to varied deliveries	Practise rapid responses
Dynamic balance	Single-leg stability, controlled reaching, movement-and-recovery drills	Develop postural control
Cricket-specific integration	Target batting and movement-based batting drills	Apply movement skills during batting

Post-Test Assessment: At the end of the Eight -week intervention, the participants will undergo post-test assessments of batting accuracy, reaction time, and dynamic balance. The same tests and scoring procedures used during the pre-test will be repeated under comparable conditions. The recorded scores will be organized for statistical analysis to determine the changes observed after the programme.

Statistical Analysis:

For a single-group pre-test–post-test design, a paired-samples *t*-test may be used when its assumptions are satisfied. If the 80 participants are divided into intervention and control groups, an appropriate between-group analysis, such as analysis of covariance (ANCOVA), may be used to compare post-test scores while adjusting for baseline differences. The assumptions of the selected statistical tests will be examined before analysis. The level of statistical significance will be set at **0.05**. Where appropriate, effect sizes and confidence intervals will also be reported to provide information about the magnitude and precision of the observed changes. The final statistical procedures will depend on the actual research design and the characteristics of the collected data.

Table 1. Descriptive statistics of batting accuracy, reaction time, and dynamic balance.

Variable	**Group**	**N**	**Pre-test Mean**	**SD**	**Post-test Mean**	**SD**
Batting accuracy (score/20)	Experimental	40	11.2	2.1	14.35	2
	Control	40	11.15	2.05	11.65	2.1
Reaction time (ms)	Experimental	40	285	24	260	22

	Control	40	284	23	280	23
Dynamic balance (cm)	Experimental	40	86.4	5.8	91.2	5.4
	Control	40	86.1	5.6	87	5.5

Table 2. Illustrative comparison of pre-test and post-test mean changes.

Variable	**Experimental group change**	**Control group change**	**Difference in changes**
Batting accuracy	3.15	0.5	2.65
Reaction time	−25.00 ms	−4.00 ms	−21.00 ms
Dynamic balance	+4.80 cm	+0.90 cm	+3.90 cm

Table 3. Illustrative independent-samples t-test and effect sizes.

Variable	**Mean difference (E − C)**	**t (df = 78)**	**F (1, 78)**	**p (two-tailed)**	**Cohen's d**
Batting accuracy	2.7	5.888	34.673	< .001	1.317
Reaction time	−20.00 ms	−3.974	15.795	< .001	−0.889
Dynamic balance	4.20 cm	3.446	11.877	0.001	0.771

E = experimental group; C = control group. The F-statistics are equivalent to $t^2$for a one-way ANOVA comparing two groups. Values are rounded.

Table 4. Illustrative 95% confidence intervals.

Variable	**Mean difference**	**95% confidence interval**	**Interpretation**
Batting accuracy	2.7	1.79 to 3.61	Experimental group scored higher
Reaction time	−20.00 ms	−30.02 to −9.98	Experimental group responded faster
Dynamic balance	4.20 cm	1.77 to 6.63	Experimental group scored higher

Results

This study examined the effects of a Eight -week biomechanics-based training programme on batting accuracy, reaction time, and dynamic balance among 80 Mahatma Gandhi University cricketers. The participants were divided

into an experimental group and a control group, with 40 cricketers in each group. The experimental group participated in the biomechanics-based training programme, while the control group continued its regular cricket training.

The results presented below are based on the illustrative statistical values used in the preceding tables. They demonstrate how the findings may be reported in a journal article. They must be replaced with results calculated from the actual participant data before publication.

Batting Accuracy:

The illustrative results showed that the experimental group's mean batting accuracy increased from 11.20 in the pre-test to 14.35 in the post-test. The control group's mean increased from 11.15 to 11.65. The post-test difference between the groups was 2.70 points in favour of the experimental group. An independent-samples *t*-test gave $t(78) = 5.89$, p less than .001, with a Cohen's d of 1.32. These example results indicate a substantial difference in post-test batting accuracy between the two groups.

Reaction Time:

The experimental group's mean reaction time decreased from 285 milliseconds to 260 milliseconds, whereas the control group's mean decreased from 284 milliseconds to 280 milliseconds. Since a lower reaction time indicates a faster response, the experimental group demonstrated a more favourable change in the illustrative data. The post-test difference was −20 milliseconds, $t(78) = -3.97$, p less than .001, with a Cohen's d of −0.89. The negative sign reflects the lower reaction-time score in the experimental group.

Dynamic Balance:

The experimental group's mean dynamic balance score increased from 86.40 cm to 91.20 cm. The control group's mean increased from 86.10 cm to 87.00 cm. The post-test difference was 4.20 cm in favour of the experimental group. The illustrative independent-samples *t*-test yielded $t(78) = 3.45$, $p = .001$, with a Cohen's d of 0.77. These values suggest a moderate-to-large difference in dynamic balance between the groups under the example scenario.

3. Discussion

Effect of Biomechanics-Based Training on Batting Accuracy

Batting accuracy is an important aspect of cricket because players must coordinate their body movements and bat control to direct the ball towards an intended target. In the illustrative results, the experimental group demonstrated a greater increase in batting accuracy than the control group. One possible explanation is that training activities emphasizing batting stance, foot placement, body alignment, weight transfer, and bat-swing coordination may help players develop more consistent movement patterns.

Biomechanics-based training encourages players to pay attention to how movements are performed rather than concentrating exclusively on the outcome of a stroke. Repeated practice combined with appropriate feedback may help cricketers identify technical errors and refine their batting actions. Nevertheless, the actual contribution of these training elements can only be established by analysing the collected data and, where possible, examining changes in batting technique.

Effect of Biomechanics-Based Training on Reaction Time:

Reaction time is relevant to batting because players must respond rapidly to information about a delivery's speed, line, length, and trajectory. The illustrative findings showed a greater reduction in reaction time in the experimental group than in the control group. This pattern may be consistent with the use of visual-response activities, ball-tracking exercises, and cricket-specific drills requiring rapid movement selection.

However, batting performance involves more than a simple response to a stimulus. Anticipation, decision-making, visual perception, and technical experience also influence how effectively a batsman responds to a delivery. Consequently, improvements in a general reaction-time test should not automatically be interpreted as equivalent improvements in match batting performance. Future analysis could examine whether changes in reaction time are associated with improvements in batting accuracy.

Effect of Biomechanics-Based Training on Dynamic Balance:

Dynamic balance helps batsmen maintain postural control while moving forward, backward, and laterally, as well as during the rotation and transfer of body weight involved in stroke execution. The illustrative results showed a greater increase in the dynamic balance score in the experimental group than in the control group.

A possible explanation is that exercises involving controlled reaching, single-leg stability, directional movement, and recovery to a balanced position may improve postural control during movement. These activities may also encourage better awareness of body position and movement coordination. Nevertheless, the magnitude and practical importance of any improvement depend on the reliability of the balance test and the actual results obtained.

Overall Implications for Cricket Training:

The three selected variables represent related but distinct aspects of cricket performance. Batting accuracy reflects the control of stroke execution, reaction time represents the speed of response to a stimulus, and dynamic balance concerns postural stability during movement. A structured training programme that incorporates these elements may offer coaches a systematic way to address several performance requirements within regular cricket practice.

The illustrative comparisons suggest that the experimental group performed better than the control group on all three post-test measures. However, post-test differences alone do not demonstrate that the programme produced greater improvements over the Eight -week period. A more appropriate assessment would compare changes between groups or use analysis of covariance to account for baseline scores. The analysis should also consider confidence intervals, effect sizes, test assumptions, and the practical relevance of the observed differences.

4. Conclusion

This study examines the potential effects of a biomechanics-based training programme on batting accuracy, reaction time, and dynamic balance among Mahatma Gandhi University cricketers. The hypothetical example results demonstrate how differences between an experimental group and a control group can be reported and discussed in a scientific paper. If similar patterns are confirmed by the actual data and an appropriate statistical analysis, the findings may support the use of structured biomechanics-based activities as a component of university cricket training.

The conclusion must be based on the observed participant scores and the results of the selected statistical tests. No claim of effectiveness should be made solely from the illustrative values presented here.

References

1. Bartlett, R. (2007). *Introduction to sports biomechanics: Analysing human movement patterns* (2nd ed.). Routledge.
2. Davids, K., Bennett, S., & Newell, K. M. (Eds.). (2006). *Movement system variability*. Human Kinetics.
3. Hay, J. G. (1993). *The biomechanics of sports techniques* (4th ed.). Prentice Hall.
4. Knudson, D. (2007). *Fundamentals of biomechanics* (2nd ed.). Springer.
5. Magill, R. A., & Anderson, D. I. (2017). *Motor learning and control: Concepts and applications* (11th ed.). McGraw-Hill Education.
6. McGinnis, P. M. (2013). *Biomechanics of sport and exercise* (3rd ed.). Human Kinetics.
7. Schmidt, R. A., Lee, T. D., Winstein, C. J., Wulf, G., & Zelaznik, H. N. (2019). *Motor control and learning: A behavioral emphasis* (6th ed.). Human Kinetics.
8. Zatsiorsky, V. M. (Ed.). (2000). *Biomechanics in sport: Performance enhancement and injury prevention*. Blackwell Science.
9. Stretch, R., Buys, F., Du Toit, E., & Viljoen, G. (1998). Kinematics and kinetics of the drive off the front foot in cricket batting. *Journal of Sports Sciences, 16*(8), 711–720. https://doi.org/10.1080/026404198366344
10. Stretch, R. A. (2003). Cricket injuries: A longitudinal study of the nature of injuries to South African cricketers. *British Journal of Sports Medicine, 37*(3), 250–253.
11. Sarpeshkar, V., & Mann, D. L. (2011). Biomechanics and visual-motor control: How it has, is, and will be used to reveal the secrets of hitting a cricket ball. *Sports Biomechanics, 10*(4), 306–323. https://doi.org/10.1080/14763141.2011.629207

12. Penn, M. J., & Spratford, W. (2012). Are current coaching recommendations for cricket batting technique supported by biomechanical research? *Sports Biomechanics, 11*(3), 311–323. https://doi.org/10.1080/14763141.2011.638387
13. Noorbhai, H. (2021). A systematic review of the batting backlift technique in cricket. *Journal of Sports Sciences*. [Verify final volume, issue, and page details before submission.]
14. Scanlan, A. T., Berkelmans, D. M., Vickery, W. M., & Kean, C. O. (2016). A review of the internal and external physiological demands associated with batting in cricket. *International Journal of Sports Physiology and Performance, 11*(8), 987–997. https://doi.org/10.1123/ijspp.2016-0169
15. McErlain-Naylor, S. A., Peploe, C., Grimley, J., Deshpande, Y., Felton, P. J., & King, M. A. (2021). Comparing power hitting kinematics between skilled male and female cricket batters. *Journal of Sports Sciences, 39*(21), 2393–2400. https://doi.org/10.1080/02640414.2021.1934289
16. Biswas, S., Bhattacharya, R., & Das, A. (2023). Physical characteristics, movement pattern, and heart rate response of Indian cricketers during batting in Twenty20 (T20) matches. *International Journal of Exercise Science, 16*(6), 1413–1425. https://doi.org/10.70252/KJZL7760
17. Wang, P., Liu, Y., & Chen, C. (2024). Effects of neuromuscular training on dynamic balance ability in athletes: A systematic review and meta-analysis. *Heliyon, 10*(16), e35823. https://doi.org/10.1016/j.heliyon.2024.e35823
18. Schmidt, R. A. (1988). *Motor control and learning: A behavioral emphasis* (2nd ed.). Human Kinetics.
19. Winter, D. A. (2009). *Biomechanics and motor control of human movement* (4th ed.). John Wiley & Sons.
20. Enoka, R. M. (2008). *Neuromechanics of human movement* (4th ed.). Human Kinetics.