



AI-Based Crop Disease Detection for Smart Agriculture

Gopal Raju Shinde¹, Rushikesh Santosh Teke², Mansingh M. Rabade³

^{1,2,3}Department of Computer Science and Engineering, D.Y. Patil Technical Campus, Talsande, Kolhapur, Maharashtra, India

Article Info

Article History:

Published: 09 Oct 2026

Publication Issue:

Volume 03, Issue 10
October 2026

Page Number:

204-207

Corresponding Author:

Gopal Raju Shinde

Abstract:

Crop diseases can reduce crop quality and production when they are not identified at an early stage. Manual visual inspection is useful but can be difficult, time-consuming, and dependent on access to experienced people. This research proposes an AI-based framework for crop disease detection using crop leaf images. The system accepts a leaf image, performs image preprocessing, extracts useful visual patterns, and applies a machine learning or deep learning model to classify the crop as healthy or affected by a disease. Candidate approaches include Convolutional Neural Networks (CNN), ResNet50, MobileNet, and Support Vector Machine (SVM). A labeled image dataset such as PlantVillage can be used for model development and evaluation. Performance can be measured using accuracy, precision, recall, F1-score, confusion matrix, and inference time. The proposed approach is intended to support early identification and provide a practical decision-support tool for smart agriculture. Field conditions, image quality, and differences between laboratory images and real farm images remain important challenges.

Keywords: Artificial Intelligence, Machine Learning, Crop Disease Detection, Smart Agriculture, Computer Vision, CNN, Plant Disease Classification

1. INTRODUCTION

Agriculture is strongly affected by plant diseases that can damage leaves, fruits, stems, and other parts of crops. Early identification is important because delayed recognition may allow disease to spread and may reduce crop yield and quality. Traditional identification generally depends on visual examination and agricultural expertise. However, symptoms of different diseases can sometimes appear similar, and reliable diagnosis may not always be immediately available.

Artificial intelligence and computer vision provide an opportunity to automate part of this identification process. An AI-based crop disease detection system can analyze a photograph of a crop leaf and learn visual patterns associated with healthy and diseased plants. The objective is not to replace agricultural experts, but to provide a fast preliminary screening and decision-support mechanism.

2. PROBLEM STATEMENT AND OBJECTIVES

Problem Statement: Farmers may face difficulty in identifying crop diseases quickly and accurately through manual visual inspection. The process can be time-consuming and may depend on expert availability. Similar symptoms, poor lighting, complex backgrounds, and late detection can make the identification problem more difficult.

Objectives: (1) Develop an AI-based framework for crop disease identification from leaf images; (2) preprocess images to improve consistency; (3) train and compare suitable machine learning/deep learning models; (4) classify images into healthy or disease categories; (5) provide a confidence-based result; and (6) evaluate the system using standard classification metrics.

3. THREAT / OPERATING MODEL

For this agriculture application, the operating environment includes the crop, camera or mobile device, image-processing pipeline, trained prediction model, and farmer-facing result. The main sources of uncertainty are image quality, lighting, background noise, leaf orientation, disease similarity, and differences between training images and real field images. A low-confidence prediction should therefore be treated as a request for another image or expert verification rather than as a final diagnosis.

4. RELATED WORK

Research in computer vision has shown that image-based plant disease classification can be approached using convolutional neural networks and transfer learning. Datasets containing labeled leaf images have enabled researchers to train models for multiple crop and disease classes. Lightweight architectures such as MobileNet are relevant when inference must run on mobile or resource-constrained devices, while deeper models such as ResNet can provide strong feature-learning capability. Traditional classifiers such as SVM can also be considered when informative features are extracted before classification.

5. RESEARCH GAP

A key gap is the difference between controlled dataset images and real farm conditions. Models trained on clean images may face reduced performance when leaves contain shadows, soil, multiple objects, blur, water droplets, or complex backgrounds. Therefore, a practical system should consider image-quality checks, confidence scores, diverse training data, and field validation rather than relying only on high accuracy on a controlled dataset.

6. PROPOSED SYSTEM ARCHITECTURE

Crop Leaf Image → Image Preprocessing → Feature Extraction → AI/ML Model → Disease Classification → Confidence Score → Result

The proposed system begins with a crop leaf photograph. Preprocessing may include resizing, normalization, noise reduction, and other operations needed to make images consistent. The processed image is supplied to the selected model, which learns or uses visual features such as color, texture, shape, and disease-related patterns. The model produces a predicted class and confidence score. The final result is shown to the user. If confidence is low, the system can request a clearer image or recommend expert verification.

7. DATASET AND MACHINE LEARNING METHODOLOGY

A labeled crop-leaf image dataset can be used to train and evaluate the proposed framework. PlantVillage is an example of a widely used plant-image dataset for research on plant disease recognition. Images are organized into classes representing healthy and diseased conditions. The dataset can be divided into training, validation, and testing subsets. Data augmentation can be applied during training to improve robustness to changes in orientation, scale, and lighting.

Candidate Models: CNN for end-to-end image classification; ResNet50 for deep residual feature learning and transfer learning; MobileNet for a lightweight deployment-oriented model; and SVM as a traditional classification baseline when suitable features are available.

8. DISEASE DECISION MECHANISM

The prediction stage produces a disease class and an associated confidence value. A simple decision policy can use confidence thresholds: high-confidence predictions can be presented as the primary result; medium-confidence predictions can be marked for review; and low-confidence predictions can trigger a request for another photograph or expert confirmation. This approach reduces the risk of presenting uncertain predictions as definite diagnoses.

9. EVALUATION METRICS

The system should be evaluated using accuracy, precision, recall, F1-score, confusion matrix, and inference time. Accuracy measures the overall proportion of correct predictions. Precision indicates how often predicted disease cases are correct, while recall measures how many actual disease cases are detected. F1-score balances precision and recall. The confusion matrix shows class-wise errors, and inference time indicates practical responsiveness for deployment.

10. SYSTEM ANALYSIS

The proposed framework can provide rapid preliminary screening and consistent image-based classification. Its main security and reliability considerations are model uncertainty, dataset bias, image manipulation, poor-quality inputs, and domain shift between training and deployment. Model performance should therefore be tested on representative field images, and predictions should be treated as decision support rather than an unconditional replacement for agricultural expertise.

11. APPLICATIONS

The system can support farmers during early crop inspection, agricultural advisory services, smart-farming applications, educational tools, mobile crop-monitoring systems, and field-level disease screening. A lightweight model may be integrated into a mobile application so that a farmer can capture a leaf image and receive an immediate preliminary classification.

12. ADVANTAGES AND LIMITATIONS

Advantages: fast preliminary detection; reduced dependence on manual visual inspection; scalable image-based screening; potential for mobile deployment; and consistent automated classification.

Limitations: performance depends on training-data quality; controlled images may not represent real fields; visually similar diseases can be difficult to distinguish; poor lighting and blur can affect predictions; and a model prediction should not be treated as a guaranteed agricultural diagnosis.

13. FUTURE SCOPE

Future work can focus on collecting larger and more diverse field datasets, improving disease-class coverage, using image-quality assessment, testing lightweight models on smartphones or edge devices, adding explainable-AI techniques, and validating the system under different environmental conditions. Integration with farm advisory systems and multilingual interfaces could also improve accessibility.

14. RESEARCH CONTRIBUTIONS

The proposed research organizes an end-to-end framework for AI-based crop disease detection: image acquisition, preprocessing, feature learning, classification, confidence-based decision making, and evaluation. It also identifies field-image variability and prediction uncertainty as important practical issues for moving from dataset experiments toward real agricultural use.

15. CONCLUSION

This research presents an AI-based approach for detecting crop diseases from leaf images as a smart-agriculture decision-support application. The proposed pipeline uses image preprocessing and machine learning/deep learning classification to identify healthy and diseased crop conditions. Evaluation through accuracy, precision, recall, F1-score, confusion matrix, and inference time can be used to compare candidate models. Although AI can make preliminary screening faster and more accessible, reliable deployment requires diverse field data, careful confidence handling, and validation with agricultural expertise.

References

- [1] D. P. Hughes and M. Salathé, "An open access repository of images on plant health to enable the development of mobile disease diagnostics," 2015.
- [2] A. G. Mohanty, D. P. Hughes, and M. Salathé, "Using deep learning for image-based plant disease detection," *Frontiers in Plant Science*, 2016.
- [3] K. P. Ferentinos, "Deep learning models for plant disease detection and diagnosis," *Computers and Electronics in Agriculture*, 2018.
- [4] K. He, X. Zhang, S. Ren, and J. Sun, "Deep residual learning for image recognition," *CVPR*, 2016.
- [5] A. G. Howard et al., "MobileNets: Efficient convolutional neural networks for mobile vision applications," 2017.

DECLARATION

The authors declare that this research-paper draft is prepared for academic/research purposes. The proposed framework is a research concept and requires experimental implementation and field validation before being used as a production agricultural diagnostic system.

ACKNOWLEDGMENT

The authors express their sincere gratitude to the Department of Computer Science and Engineering, D.Y. Patil Technical Campus, Talsande, Kolhapur, Maharashtra, and to the project guide for guidance and academic support in preparing this research work.