International Journal of Web of Multidisciplinary Studies
(Peer-Reviewed, Open Access, Fully Refereed International Journal)
website: *https://ijwos.com*
Volume 03, Issue 11, November 2026
OPEN ACCESS
E-ISSN : 3049-2424
DOI: https://doi.org/10.71366/ijwos03112641114

Biomass Energy: Biogas Production, Technologies, Challenges, and Applications

Namburi Nireekshana[1], R. Sai kiran[2] SN. Raj kiran[3] B. Arun[4] MD. Rizwan[5] P. Srikanth[6] Siddharth[7]
[1]*Assistant Professor, Department of Electrical and Electronics Engineering, Methodist College of Engineering and Technology, Hyderabad, Telangana, India*
[2,3,4,5,6,7]*BE Third year, Department of Electronics and Communication Engineering, Methodist College of Engineering and Technology, Hyderabad, Telangana, India*

Article Info

Article History:
Published: 11 Nov 2026

Publication Issue:
Volume 03, Issue 11
November 2026

Page Number:
137-147

Corresponding Author:
Namburi Nireekshana

Abstract:
One of the potential renewable energy sources that can help achieve sustainable energy generation, waste management, and environmental protection is biomass energy. It comes from organic sources like agricultural waste, animal dung, forest waste, food waste and other biodegradables. Biogas production is one of the biomass conversion technologies that have much to offer in terms of using biomass in the form of organic wastes for useful energy through the process of anaerobic digestion. The present article provides an overview of biomass energy and its focus is on the biogas technology, its classification, production methods, working principle, advantages, challenges and applications. Biomass energy systems can be categorized by the type of the conversion process such as thermochemical conversion, biochemical conversion and physicochemical conversion technologies. Biogas is mainly generated by the anaerobic digestion of organic material in the presence of microorganisms without the presence of oxygen generating a combustible gas that contains primary methane and carbon dioxide. Biogas production can be divided into four major steps: hydrolysis, acidogenesis, acetogenesis and methanogenesis. The biogas produced can be used in a variety of applications including transportation, cooking, heating, and electricity generation after proper purification and upgrading. The benefits of using biomass energy include production of renewable energy, minimization of organic waste, dependence on fossil fuels reduction and potential greenhouse gas emission reduction. But, for effective implementation, there are several challenges to overcome like availability of feedstock, transportation costs, technological constraints, initial investment, process stability and biogas purification. The importance of biomass energy in rural electrification, agricultural development, decentralized power generation and industrial heating is also highlighted. Biomass and biogas technologies are seen to have a great potential to establish reliable, environmentally sustainable and economically viable energy systems and to help in the transition towards a low carbon energy future.

Keywords: Biomass Energy, Biogas Production, Anaerobic Digestion, Renewable Energy, Biomass Conversion Technologies, Sustainable Energy, Waste-to-Energ.

1. INTRODUCTION

Energy is one of the key factors for economic development, industrial development, technological advancement and improvement of human life. This escalation in population, rapid urbanization, industrialization, mechanizing agriculture and growing reliance on modern technologies has led to a substantial rise in global energy consumption. Energy is required for generating electricity, moving people and goods, producing goods, communicating, health, farming and household needs. Traditionally, the majority of energy requirements in the world have been met with conventional energy sources like coal, petroleum and natural gas. While these fossil fuels have contributed to industrial and economic growth, their widespread use has also led to a number of environmental, economic and sustainability

Copyright © 2026 The Author(s) : This is an open access article under the CC BY license (http://creativecommons.org/licenses/by-nc/4.0/)

issues. Burning fossil fuels emits significant amounts of CO2, SOx, NOx and PM into the air, leading to global warming and climate change, air pollution and environmental degradation. In addition, the limited availability of fossil fuel resources, volatile oil prices in international markets and inequitable geographic distribution of conventional energy resources have raised energy security concerns. The challenges have prompted an increase in the research of alternative sources of energy which are environment friendly, economical and can supply increased energy requirements[1].

The use of renewable energy has gained significant attention as a viable alternative to traditional energy production methods that rely on fossil fuels due to their natural replenishment, availability, and contribution to mitigating environmental impacts. Renewable energy is energy generated from natural processes that can be naturally replenished in relatively short time. Solar energy, wind energy, hydropower, biomass energy, geothermal energy, and ocean energy are the major renewable energy resources. These resources can contribute to the diversification of energy supply, reduction of greenhouse gas emissions, improvement of energy security, and development of decentralized energy systems. Renewable energy technologies, in contrast to traditional energy resources, may be able to make use of local natural resources and limit imports of energy carriers. Along with the growth and adoption of renewable energy technologies, the industry is seeing improvements in power electronics, energy storage, smart grid, digital monitoring and energy management techniques. But every renewable energy has its own operating features, technology needs, cost and environmental issues. Thus, choosing and applying appropriate technologies with renewable energy resources is dependent on geographical location, availability of the energy resource, energy demands, infrastructures and applications[2].




Figure .1 classifications of renewable energy sources

Because solar radiation is readily available in many parts of the world, it is a resource that is one of the most widely investigated renewable energy sources. The conversion of solar energy into electrical energy can be achieved by PV systems, and for thermal uses, by solar collectors and CSP technologies. PV systems transform solar radiation into electrical power and solar thermal systems use the solar radiation to generate heat for domestic, industrial and electricity generation use. Solar energy has a number of benefits: it can be modular, it has low operating emissions and it's capable of being used for centralized or decentralized power generation. But the generation of electricity from solar energy relies on the sun's irradiance, weather conditions, seasonal changes, and the diurnal/night-time cycle. Therefore, it is often necessary to have energy storage systems, hybrid configurations, and suitable grid management strategies to ensure reliable electricity supply. Likewise, wind energy has become a vital renewable energy technology that uses the kinetic energy of wind to generate electricity using wind power generation equipment, wind turbines. Widespread use of wind energy systems on both onshore and offshore systems, especially where wind characteristics are favourable. Wind energy is a low-emission source of electricity but there are issues with power fluctuations, forecasting and grid integration due to variable wind power and weather patterns[3].

Another proven renewable energy technology is hydropower, which involves the potential and kinetic energy of water in motion or storage to drive a hydraulic turbine and generator to produce electricity. Depending on the installed capacity of the power plant, there are generally five categories of hydro power: large, small, mini, micro and pico hydro. The installed capacity ranges vary from country to country and regulatory jurisdictions. When reservoir storage is available, hydropower can provide flexible generation of electricity and have relatively high conversion efficiencies

and long operational life. Pumped-storage hydropower can also be used to meet the need for electricity systems to store energy when demand is low and release it when demand is high. However, major hydropower schemes can be very costly, result in the inundation of land, alteration of ecosystems, sedimentation and uproar among local people. Geothermal power uses the heat found in the Earth to generate electricity, heat for buildings and various uses in industry. The main benefit is the possibility of continuous energy generation in the appropriate geological environment. But the development of geothermal is geographically limited and could involve the need for costly exploration and drilling. Ocean energy technologies (such as tidal, wave and ocean thermal energy conversion systems) also provide opportunities for renewable electricity generation; however, many of these technologies are still in their infancy, have not yet been developed and/or are expensive to install, and can be influenced by complex marine environments.

Although there are many new technologies (such as solar, wind, hydropower, geothermal, and ocean energy) that are becoming available and have a great deal of potential, a dependable and sustainable energy system will need to combine renewable resources with complementary operating characteristics. Biomass energy can be utilised to dispatch electricity, heat and fuel production, whereas solar and wind are variable energy resources. This property makes biomass energy a significant contributor in renewable energy systems where continuous energy supply, storage of fuel, decentralized power generation is necessary. Bioenergy can also be an avenue for linking renewable energy generation with agriculture development, organic waste management, employment in rural areas and environmental protection. Biomass can be harvested, treated, stored and then used for energy production as per demand unlike the renewable resources which rely directly on current weather conditions. Achieving its sustainability, however, requires responsible sourcing of feedstock, the efficient conversion, as well as proper management of emissions and impacts on the environment[4].

Biomass is the organic matter obtained from plants, animals and biodegradable waste streams which can be used as an energy source. It is a form of chemical energy which was originally stored in the organic compounds by the green plants' photosynthetic reaction when they absorb sunlight. The biomass resources are agricultural residues, forestry residues, animal manure, food-processing residues, municipal organic waste, sewage sludge and dedicated energy crops. In agricultural areas, the agricultural residues including rice husk, wheat straw, sugarcane bagasse, corn stalks and coconut shells are widely available, and can be utilized to produce useful energy with appropriate technologies. There is another type of biomass feedstock that is important, forestry residues, such as wood chips, sawdust, bark and branches. Biological conversion processes, such as anaerobic digestion, are especially conducive to animal manure and biodegradable municipal waste. Biomass energy could be used in different geographic regions and economic sectors due to the variety of biomass energy resources. However, factors such as availability of biomass, moisture content, chemical composition, seasonal fluctuation and logistics of collection affect the choice of appropriate conversion technologies.

The utilization of biomass as an energy source has a long tradition and is mainly in the form of direct combustion of biomass or its residue (agricultural residues) for cooking and heating. The traditional biomass utilization methods are typically simple in technological requirement and equipment. But, due to poor combustion efficiency in traditional stove and inadequate ventilation systems, high levels of particulate matter, carbon monoxide and other pollutants are released. Modern biomass energy technologies have therefore been developed to enhance the efficiency of energy conversion, to lower harmful emissions and to increase the energy applications. These technologies include, but are not limited to, better biomass burners, gasification facilities, pyrolysis reactors, anaerobic digesters, fermentation plants, and biofuel production facilities. The switch from conventional biomass use to modern biomass energy systems is crucial towards improved environmental performance, more efficient energy use and stable energy production. Depending on the conversion method, the feedstock and the process, modern systems can according to their capacity generate electricity, thermal energy, gaseous fuels, liquid biofuels and valuable by-products[5].

The biomass energy conversion technologies can be categorized as thermochemical, biochemical, and physicochemical energy conversion technologies. Thermochemical conversion is the process of converting biomass into useful energy products using heat and/or controlled amounts of oxygen. Thermochemical processes are combustion, gasification, pyrolysis, and liquefaction. The direct combustion is one of the most common ways with the process of combustion of biomass with oxygen to generate thermal energy. The heating value produced can be utilized in various applications such as domestic heating, industrial process, generation of steam and electricity using steam turbines. The gasification is a process in which carbonaceous biomass is partially oxidized at high temperature to produce a gas mixture which is called producer gas or synthesis gas. The gas generally consists of CO, H2, CO2,

methane and nitrogen and the ratios of these components vary with the medium used for gasification and operating conditions. The gasification technology can be used for thermal utilization, electricity production and further chemical processing. Pyrolysis is a thermal decomposition process of biomass without oxygen, yielding bio-oil, biochar and combustible gases. These products are distributed based on temperature, heating rate, residence time and feedstock properties.

Biochemical conversion technologies involve microorganisms or biological process to convert biodegradable organic matter to energy rich products. The major biochemical conversion methods include anaerobic digestion and fermentation. Anaerobic digestion is a process whereby microorganisms break down biodegradable organic material without the presence of oxygen in an anaerobic system to produce biogas. Fermentation is mostly used to produce bioethanol from an appropriate sugar source, either for use in transport fuels or to blend with conventional gasoline. Animal manure, food waste, sewage sludge and some agricultural residues after suitable pretreatment are ideal for biochemical conversion. In general, biochemical technologies have lower operating temperatures than most thermochemical methods and can be used in conjunction with waste treatment and energy recovery. But, biological conversion processes are sensitive to environmental and operations (like temperature, pH, nutrient balance, composition of the substrate, and presence of inhibitory substances).

Biomass energy has a significant relevance in India given the extensive agriculture activities, livestock population, food processing industries and the production of biodegradable municipal waste in the country. Other biomass resources including agricultural residues like rice straw, wheat straw, sugarcane bagasse, and other agricultural by-products offer potential for energy recovery using effective biomass conversion technologies. Other animal wastes such as cattle dung are also significant feedstocks for rural biogas systems. The energy projects are related to biomass energy can play a role in decentralizing electricity generation, in agricultural waste management, and in diversifying energy sources. The interest in the use of organic residues as energy sources has been further fueled by government initiatives for promoting biogas, compressed biogas and waste-to-energy technologies. However, biomass energy systems need to be considered in the context of other preferred uses of biomass, infrastructure for collection, availability, moisture content, and distance to the energy system. It is also important to not remove too much vegetable matter, which is essential for soil health, animal feed and other farm uses, when trying to achieve sustainable biomass utilization[6].

Although biomass and biogas technologies have promising benefits, they have some technical, economy, operational and environmental challenges. Biomass feedstocks are frequently distant, and can have compositional, moisture content, and energy density variations. These properties can cause transportation and storage expenses to rise and make it hard to run the conversion systems. Changing the composition of the substrate, insufficient heat and temperature management, organic loading and the presence of inhibitory compounds can negatively affect methane production or destabilize microbial activity in anaerobic digestion. The presence of high levels of ammonia, sulfides, and some organic intermediates can have negative impacts on the digestion process. Raw biogas may contain hydrogen sulfide and moisture which can lead to corrosion and other operational problems in the downstream equipment. In addition, an extra processing equipment is needed for upgrading the biogas to biomethane, resulting in higher capital and operational costs. Other emerging problems are technical expertise, maintenance, financial barriers and lack of knowledge of proper biomass conversion methods. Additionally, issues like methane leakage, combustion related air pollutant emissions, unsustainable feedstock harvesting and incorrect handling of digestate have to be taken care of[7].

Given the rising world energy demand, environmental issues and the demand for sustainable energy use, biomass energy is one of the valuable renewable energy sources available in the renewable energy mix. It has the ability to produce useful heat, electricity and renewable fuels from organic wastes, thus offering opportunities to tackle issues of both energy supply and management of biodegradable wastes. Biogas technology is especially relevant since it can be applied to wet organic wastes, implemented at local level and allows for methane recovery. However, the successful application of the technology depends on selection of the technology, proper feedstock management, optimization of the process, financial viability, and proper protection of the environment. Thus this article is designed to give a detailed description of biomass energy and its utilization of biogas production. It explains the biomass resources, classification of biomass conversion technologies, types of biogas plants, working principle of anaerobic digestion, advantages, technical challenges and applications. Technological developments and future prospects of advancing biomass based energy systems are also emphasized.

2. CLASSIFICATIONS OF BIOMASS ENERGY

Biomass energy conversion technologies convert biomass into beneficial energy sources, such as heat, electricity, gaseous fuels and liquid biofuels. Biomass conversion generally can be divided into three categories, which include direct combustion, thermochemical conversion, and biochemical conversion, depending on how the biomass is converted, and under what conditions. Direct combustion is the combustion of biomass with oxygen to produce thermal energy. Thermochemical conversion involves the application of heat to convert biomass to combustible gas, liquid and solid products such as gasification and pyrolysis. Biochemical conversion involves using microorganisms and biological reactions to break down organic substances and generate renewable fuels via anaerobic digestion and fermentation processes. The most appropriate conversion technology will depend on the characteristics of the biomass, the moisture content, the chemistry and the energy needs and the application[8].




Figure 2 Classification of Biomass Energy Conversion Technologies

2.1 Direct Combustion

One of the simplest and most widely used methods of converting biomass energy is direct combustion. The biomasses like firewood, agricultural residues, rice husk, sugarcane bagasse and wood chips are combusted using adequate oxygen to produce the thermal energy in this process. The heat produced can be used directly for cooking, industrial heating, drying etc. The heat is applied to a water tank to change the water to high-pressure steam that is used to power a steam turbine connected to an electrical generator, as in a power generation plant. The efficiency of combustion systems are influenced by fuel characteristics, moisture content, combustion temperature, availability of oxygen and equipment design. Direct combustion is a well-established technology, but can result in the generation of particulate matter and other air pollutants when combustion is incomplete. Modern biomass combustion systems, therefore, include the latest combustion chambers, air supply control and emission-control devices[9].

2.2 Thermochemical Conversion

Thermochemical conversion is the use of heat to process biomass by using controlled thermal reactions to produce useful energy products. The processing methods are ideal for dry biomass like wood, agriculture waste and forest waste. The major thermochemical conversion techniques include gasification and pyrolysis.

2.2.1 Gasification

Gasification is a thermochemical process, in which the biomass is partially oxidized under high temperatures to generate combustible gas mixture. The process is carried out in a limited and controlled supply of oxygen, air or steam.

The producer gas or synthesis gas produced consists primarily of carbon monoxide, hydrogen, carbon dioxide and methane depending on the feed stock and operating conditions. The gas produced can be used for industrial gas heating, gas engines generating electric power and additional chemical processing. Agricultural and forestry residues are possible feedstocks for gasification, as it is a method for producing useful gaseous fuels.

2.2.2 Pyrolysis

Pyrolysis is one of the thermochemical conversion process where biomass undergoes thermal decomposition without the presence of oxygen. In the process, these complex organics are converted into three primary products: bio-oil, biochar and non-condensable gases. The proportions of these products vary depending on the biomass composition, the residence time, the heating rate and operating temperature. The gases can be used for process heat, biochar can be used in some specific agricultural and environmental applications, and bio-oil can be further processed for fuel applications[10].

2.3 Biochemical Conversion

Biochemical conversion is the use of microorganisms and biological reactions to convert biodegradable organic materials to renewable fuels. It is especially applicable for biomass materials like animal manure, food waste, sewage sludge, and other biodegradable organic wastes. There are two major biochemical conversion processes – anaerobic digestion and fermentation.

2.3.1 Anaerobic Digestion

Biological anaerobic digestion is a process in which the anaerobic microorganisms break down the biodegradable organic matter under anaerobic (without air) conditions and produce biogas. It can be divided into a number of basic steps, namely hydrolysis, acidogenesis, acetogenesis, and methanogenesis. The composition of biogas is mostly methane and carbon dioxide, methane being the major combustible gas. The biogas generated can be used for cooking, heating, electricity generation and even upgraded to be used as transportation fuel. Digestate can also be treated and used as an organic fertilizer or soil amendment in the case of anaerobic digestion.

2.3.2 Fermentation

Fermentation is a biochemical conversion process that refers to the conversion of fermentable sugars by microorganisms under favorable operating conditions to produce bioethanol. Sugarcane molasses, corn and other carbohydrate-rich substances are popular bioethanol feedstocks. The other option is to use the lignocellulosic biomass as an energy raw material following proper pretreatment and hydrolysis and obtain fermentable sugars. The bioethanol produced can be used as a transport fuel derived from renewable resources, especially when mixed with conventional petrol.

2.4 **Biomass Resources**

Agricultural Residues

Agricultural residues are organic materials generated during crop cultivation, harvesting, and processing. They represent an important biomass resource, particularly in agricultural countries such as India.

- Rice husk and rice straw
- Wheat straw
- Sugarcane bagasse
- Corn stalks and cobs
- Coconut shells and husks
- Groundnut shells




Figure. 3. Classification of Biomass Resources

Forestry Residues

Forestry biomass consists of organic materials obtained from forest management, timber processing, and wood-based industries.

- Wood chips
- Sawdust
- Tree branches
- Bark
- Leaves
- Logging residues

Animal Waste

Animal waste is a biodegradable biomass resource that can be converted into biogas through anaerobic digestion.

- Cattle dung
- Poultry litter
- Pig manure
- Sheep and goat manure
- Other livestock waste

Municipal Organic Waste

Municipal organic waste includes biodegradable materials generated from residential, commercial, and institutional activities.

- Food waste
- Vegetable and fruit waste

- Garden waste
- Market waste
- Biodegradable household waste

Industrial Organic Waste

Industrial biomass waste is generated during food processing, agricultural production, and other industrial operations.

- Food-processing waste
- Dairy industry waste
- Distillery spent wash
- Sugar industry residues
- Paper and pulp industry waste

Energy Crops

Energy crops are specifically cultivated for producing biomass and renewable fuels.

- Switchgrass
- Miscanthus
- Short-rotation woody crops
- Jatropha
- Napier grass

Table 1 Summary of Biomass Classification

Classification	Major categories	Examples
Biomass resources	Agricultural residues	Rice husk, wheat straw
	Forestry residues	Wood chips, sawdust
	Animal waste	Cattle dung, poultry litter
	Municipal organic waste	Food and vegetable waste
	Industrial waste	Bagasse, distillery waste
	Energy crops	Jatropha, Miscanthus
Conversion technologies	Thermochemical	Combustion, gasification, pyrolysis, liquefaction
	Biochemical	Anaerobic digestion, fermentation
	Physicochemical	Extraction, transesterification

3. Working Principle and Operation

Biogas is produced using a process called anaerobic digestion whereby microorganisms break down biodegradable organic matter in the absence of oxygen. This process converts organic wastes including cattle dung, agricultural residues, food waste, poultry manure and sewage sludge into biogas, which is made up of largely methane and carbon dioxide. This is done in an enclosed reactor known as an anaerobic digester. The biomass is first processed to create an appropriate material by sorting, shredding, dilution and mixing. The substrate is subsequently added to the digester where microorganisms slowly decompose the complex organic compounds via a sequence of biological reactions. The

biogas produced is stored in a gas storage facility and used for cooking, heating, power generation or upgrading to biomethane. The digestate which is not consumed in the digester is removed from the digester and is capable of being utilized as an organic fertilizer or soil amendment.




Figure .4 Schematic Diagram of a Biogas Production System

3.1 Stages of Anaerobic Digestion

The anaerobic digestion process consists of four major stages:

↓ Hydrolysis: Complex organic materials such as carbohydrates, proteins, and lipids are converted into simple soluble compounds.

↓ Acidogenesis: The soluble compounds are converted into volatile fatty acids, alcohols, hydrogen, and carbon dioxide.

↓ Acetogenesis: Intermediate compounds are converted into acetate, hydrogen, and carbon dioxide.

↓ Methanogenesis: Methanogenic microorganisms convert acetate and hydrogen–carbon dioxide into methane and carbon dioxide.

3.2 Operation

Step	Operation
1	Collection and preparation of organic biomass
2	Feeding prepared substrate into the airtight digester
3	Microbial decomposition under anaerobic conditions
4	Collection and purification of generated biogas
5	Storage and utilization of biogas
6	Digestate removal and agricultural utilization

4. Advantages

S. NO.	MAJOR ADVANTAGE	KEY BENEFIT
1	Renewable energy	Sustainable energy production
2	Waste management	Effective organic waste utilization
3	Environmental protection	Potential reduction in greenhouse gas emissions
4	Energy security	Reduced dependence on fossil fuels
5	Organic fertilizer	Nutrient recycling
6	Decentralized generation	Local energy availability
7	Multiple applications	Heat, electricity, and biofuels
8	Economic development	Rural employment and additional income
9	Energy flexibility	Fuel storage and dispatchable generation
10	Improved sanitation	Better organic waste treatment

5. APPLICATIONS

- Domestic cooking and heating.
- Electricity generation using biogas engines.
- Industrial heating and boiler applications.
- Production of compressed biogas (CBG) after upgrading.
- Combined heat and power generation.

6. CONCLUSION

Biomass energy is an important renewable energy resource with great potential for sustainable energy generation, environmental protection and good waste management. The use of agricultural residues, forestry waste, animal manure, industrial organic waste and municipal biodegradable waste is an alternative to the conventional fossil fuel energy generation. In the presented article, the main biomass energy conversion technologies, such as direct combustion, thermochemical conversion and biochemical conversion have been discussed with emphasis on biogas production by anaerobic digestion. Biogas production is one of those technologies that are important in providing useful energy from biodegradable organic wastes by using microorganisms in an anaerobic environment. The produced biogas can be used for cooking, heating, electricity generation, industry and transportation depending on the kind of purification and upgrading. Additionally, the digestate as a by-product can be used as an organic fertilizer, thereby promoting nutrient recycling and sustainable agriculture. Biomass and biogas technologies have several benefits such as renewable energy generation, fossil fuel reduction, waste management, the possibility to generate greenhouse gas reduction, and rural job creation etc. But supply and transportation issues, start-up costs, conversion efficiency, process stability, gas cleaning, and maintenance must be overcome for broader application. The use of technological innovations in anaerobic digestion, biomass pretreatment, gas upgrading and automated process monitoring can further enhance system performance and economic viability. The combination of biomass and biogas technologies with solar and wind energy can also be a part of the solution of reliable, decentralized energy generation. In conclusion, the effective use of biomass resources and ongoing technological advancements can boost renewable energy infrastructure and contribute to a more sustainable, low-carbon, and energy secure future.

References

[1] T.-Z. Ang, M. Salem, M. Kamarol, H. S. Das, M. A. Nazari, and N. Prabaharan, “A comprehensive study of renewable energy sources: Classifications, challenges and suggestions,” *Energy Strategy Rev.*, vol. 43, p. 100939, 2022.

[2] Erdiwansyah, Mahidin, H. Husin, Nasaruddin, M. Zaki, and Muhibbuddin, "A critical review of the integration of renewable energy sources with various technologies," *Prot. Control Mod. Power Syst.*, vol. 6, no. 1, p. 3, Dec. 2021, doi: 10.1186/s41601-021-00181-3.

[3] H. Husin and M. Zaki, "A critical review of the integration of renewable energy sources with various technologies," *Prot. Control Mod. Power Syst.*, vol. 6, no. 1, pp. 1–18, 2021.

[4] N. Nireekshana, R. Ramachandran, and G. V. Narayana, "A Peer Survey on Load Frequency Contol in Isolated Power System with Novel Topologies," *Int J Eng Adv Technol IJEAT*, vol. 11, no. 1, pp. 82–88, 2021.

[5] P. A. Owusu and S. Asumadu-Sarkodie, "A review of renewable energy sources, sustainability issues and climate change mitigation," *Cogent Eng.*, vol. 3, no. 1, p. 1167990, Dec. 2016, doi: 10.1080/23311916.2016.1167990.

[6] N. Nireekshana, R. Ramachandran, and G. V. Narayana, "An innovative fuzzy logic frequency regulation strategy for two-area power systems," *Int J Power Electron Drive Syst IJPEDS*, vol. 15, no. 1, p. 603, 2024.

[7] N. Nireekshana, S. Unissa, B. R. Jaleja, C. M. Tejaswi, P. M. Mahitha, and P. Vaishnavi, "FACTS: Present and future," *Int J Innov Sci Res Technol*, vol. 9, no. 9, pp. 2350–2358, 2024.

[8] P. A. Østergaard, N. Duic, Y. Noorollahi, and S. Kalogirou, "Renewable energy for sustainable development," *Renew. Energy*, vol. 199, pp. 1145–1152, 2022.

[9] M. K. G. Deshmukh, M. Sameeroddin, D. Abdul, and M. A. Sattar, "Renewable energy in the 21st century: A review," *Mater. Today Proc.*, vol. 80, pp. 1756–1759, 2023.

[10] Neha and R. Joon, "Renewable energy sources: A review," in *Journal of Physics: Conference Series*, IOP Publishing, 2021, p. 012023. Accessed: Oct. 30, 2026. [Online]. Available: https://iopscience.iop.org/article/10.1088/1742-6596/1979/1/012023/meta